

# Optimal Transport Regularization Strengths and Cross-Lingual Retrieval Performance on MIRACL

Assignee Research

July 8, 2026

## Abstract

Benefiting from transformer-based pre-trained language models, neural ranking models have made significant progress. More recently, the advent of multilingual pre-trained language models provides great support for designing neural cross-lingual retrieval models. However, due to unbalanced pre-training data in different languages, multilingual language models have already shown a performance gap between high and low-resource languages in many downstream tasks. And cross-lingual retrieval models built on such pre-trained models can inherit language bias, leading to suboptimal result for low-reso

## 1 Introduction

This paper examines: Improving Cross-lingual Information Retrieval on Low-Resource Languages via Optimal Transport Distillation. Research question: What is the impact of varying optimal transport regularization strengths on the nDCG scores of cross-lingual retrieval models evaluated on the MIRACL dataset for different language pairs?.

## 2 Methodology

Systematic literature search across multiple databases yielded 14 papers. Claims were extracted from source material and verified against retrieved documents. An independent multi-reviewer assessment produced a quality score of 7.5/10.

## 3 Results

14 papers retrieved. 11 claims extracted; 9 independently verified. Quality review score: 7.5/10.

## 4 Limitations

This report is a machine-generated literature synthesis and does not constitute original research. Automated retrieval and verification may introduce errors or omissions. Review scores reflect automated assessment, not human peer review. Readers should consult primary sources for authoritative information.

## 5 Extracted Claims

Claim	Verified	Confidence
CAL significantly outperforms strong baselines on low-resource languages, including neural machine translation.	✓	0.21
WikiCLIR is a large cross-lingual retrieval collection based on linked foreign language articles from Wikipedia pages.	✓	0.23
Relevance judgments in WikiCLIR are synthetically generated based on mutual links across pages.	✓	0.16
mMARCO is a multilingual passage ranking dataset built by translating queries and passages in MS MARCO into the target l	✓	0.27
OPTICAL is a novel Optimal Transport-based knowledge distillation framework designed for low-resource CLIR tasks.	✓	0.17
OPTICAL formulates the cross-lingual token alignment task as an optimal transport problem where the cost matrix is the c	✓	0.23
OPTICAL only requires bitext data for distillation training.	×	0.15
Experiments were performed on seven language pairs for CLIR training and evaluation.	✓	0.17
The experimental dataset included four low-resource languages from diverse linguistic families and three medium or high-	×	0.15
In terms of mean average precision (MAP), the proposed method significantly outperforms several strong baseline methods	✓	0.27
The proposed method achieved a 13.7% improvement in MAP over a method based on neural machine translation on low-resourc	✓	0.18

## References

- <http://arxiv.org/abs/2504.05181v2>
- <http://arxiv.org/abs/2301.12566v1>
- <http://arxiv.org/abs/2408.10536v1>