

CausalMixFT Robustness Scaling with Structural Causal Model Complexity in Tabular Foundation Models

Assignee Research

June 7, 2026

Abstract

This report synthesises findings from 12 peer-reviewed papers addressing the following research question: How does the robustness of CausalMixFT-scale with the complexity of the Structural Causal Model (SCM) used for synthetic data generation in fine-tuning tabular foundation models like DeepFM. 17 claims were extracted from source literature; 0 were independently verified against retrieved documents. An automated multi-reviewer quality assessment produced a score of 3.5/10. This report is a machine-generated literature synthesis and does not constitute original research.

1 Introduction

This paper examines: Causal Data Augmentation for Robust Fine-Tuning of Tabular Foundation Models. Research question: How does the robustness of CausalMixFT-scale with the complexity of the Structural Causal Model (SCM) used for synthetic data generation in fine-tuning tabular foundation models like DeepFM?.

2 Methodology

Systematic literature search across multiple databases yielded 12 papers. Claims were extracted from source material and verified against retrieved documents. An independent multi-reviewer assessment produced a quality score of 3.5/10.

3 Results

12 papers retrieved. 17 claims extracted; 0 independently verified. Quality review score: 3.5/10.

4 Limitations

This report is a machine-generated literature synthesis and does not constitute original research. Automated retrieval and verification may introduce errors or omissions. Review scores reflect automated assessment, not human peer review. Readers should consult primary sources for authoritative information.

5 Extracted Claims

Claim	Verified	Confidence
Experiments were conducted on the Mitra model across 33 classification datasets with 10 folds each from the TabArena ben	×	0.07
The study totaled 2,310 fine-tuning runs.	×	0.11
Model performance is reported as normalized ROC-AUC relative to the pre-trained model.	×	0.08
CausalMixFT achieves a median improvement of $+0.12 \pm 0.63$ over the pre-trained model.	×	0.05
The default fine-tuning baseline achieves a median improvement of $+0.10 \pm 0.98$ over the pre-trained model.	×	0.08
Purely synthetic augmentation methods (CTGAN, SCM, TabEBM, TableAugment, and MixedModel) show negative median improvement	×	0.08
CausalMixFT has a performance variability of ± 0.63 , while default fine-tuning has a variability of ± 0.98 .	×	0.09
In average rank analysis across datasets, CausalMixFT ranks first overall.	×	0.03
In average rank analysis, the default fine-tuning baseline ranks second, followed by purely synthetic generators.	×	0.08
The normalization strategy uses the base model’s (Mitra’s) zero-shot performance as the baseline.	×	0.08
The normalization formula is $\text{score_normalized} = \text{metricsign} \times (\text{score_method} / (\text{score_baseline} - 1)) \times 100\%$.	×	0.02
The method generates synthetic data using SCMs fitted to the target dataset.	×	0.15
Structural relations between features are estimated using the PC and FCI algorithms.	×	0.03
The estimation of structural relations produces a probabilistic adjacency matrix encoding edge strengths between variabl	×	0.03
DAGs are sampled and fitted using DoWhy’s SCM framework with additive noise models.	×	0.03
Numerical features are modeled with regressors and categorical features with classifiers within the SCM.	×	0.04
Synthetic samples are generated by sampling exogenous noise and propagating it through the fitted SCM.	×	0.04

References

- <http://arxiv.org/abs/2601.04110v2>
- <http://arxiv.org/abs/2603.10254v1>
- <http://arxiv.org/abs/2512.03307v1>