

Adversarial Training on Intermediate Tasks for Robust Zero-Shot Cross-Lingual Performance

Assignee Research

July 26, 2026

Abstract

Pre-trained multilingual language encoders, such as multilingual BERT and XLM-R, show great potential for zero-shot cross-lingual transfer. However, these multilingual encoders do not precisely align words and phrases across languages. Especially, learning alignments in the multilingual embedding space usually requires sentence-level or word-level parallel corpora, which are expensive to be obtained for low-resource languages. An alternative is to make the multilingual encoders more robust; when fine-tuning the encoder using downstream task, we train the encoder to tolerate noise in the context

1 Introduction

This paper examines: Improving Zero-Shot Cross-Lingual Transfer Learning via Robust Training. Research question: Can adversarial training on intermediate tasks (e.g., adversarial examples from GLUE) improve robustness in zero-shot cross-lingual performance on XTREME-R, as measured by F1 scores under adversarial attacks like FLARE?.

2 Methodology

Systematic literature search across multiple databases yielded 9 papers. Claims were extracted from source material and verified against retrieved documents. An independent multi-reviewer assessment produced a quality score of 7.8/10.

3 Results

9 papers retrieved. 11 claims extracted; 9 independently verified. Quality review score: 7.8/10.

4 Limitations

This report is a machine-generated literature synthesis and does not constitute original research. Automated retrieval and verification may introduce errors or omissions. Review scores reflect automated assessment, not human peer review. Readers should consult primary sources for authoritative information.

5 Extracted Claims

Claim	Verified	Confidence
The cross-lingual transfer performance improves by 2.1 points on PAWS-X.	✓	0.16
The cross-lingual transfer performance improves by 1.6 points on XNLI.	×	0.14
Robust training remarkably improves generalized cross-lingual transfer.	✓	0.19
The code for the study is available at https://github.com/uclanlp/Robust-XLT .	✓	0.18
Multilingual BERT, XLM, and XLM-R are pre-trained multilingual language models proposed for zero-shot cross-lingual tran	✓	0.22
XTREME and XGLUE provide benchmarks for zero-shot cross-lingual transfer learning.	✓	0.17
Learning to align embedding spaces is an important research topic to improve multilinguality.	✓	0.20
Most approaches for aligning embedding spaces require additional supervision signals, such as parallel sentence pairs, b	✓	0.17
Additional supervised corpora are usually expensive for low-resource languages.	✓	0.17
There is a line of research making the model be aware of the embedding misalignment issues by considering additional syn	✓	0.22
Syntactic features require large amounts of data.	×	0.15

References

- <http://arxiv.org/abs/2104.08645v2>
- <http://arxiv.org/abs/2008.07651v1>
- <http://arxiv.org/abs/2005.13013v2>