

Impact of Sequential Multilingual Incremental Fine-Tuning on XLM-R for Culturally Ambiguous Euphemism Detection Across Script

Assignee Research

July 11, 2026

Abstract

Euphemisms are culturally variable and often ambiguous, posing challenges for language models, especially in low-resource settings. This paper investigates how cross-lingual transfer via sequential fine-tuning affects euphemism detection across five languages: English, Spanish, Chinese, Turkish, and Yoruba. We compare sequential fine-tuning with monolingual and simultaneous fine-tuning using XLM-R and mBERT, analyzing how performance is shaped by language pairings, typological features, and pretraining coverage. Results show that sequential fine-tuning with a high-resource L1 improves L2 perfo

1 Introduction

This paper examines: When Does Language Transfer Help? Sequential Fine-Tuning for Cross-Lingual Euphemism Detection. Research question: How does incremental fine-tuning on multiple languages sequentially affect XLM-R's performance on culturally ambiguous euphemism detection compared to a baseline of monolingual fine-tuning, measured by F1-score across languages with varying script typologies?.

2 Methodology

Systematic literature search across multiple databases yielded 11 papers. Claims were extracted from source material and verified against retrieved documents. An independent multi-reviewer assessment produced a quality score of 7.7/10.

3 Results

11 papers retrieved. 5 claims extracted; 4 independently verified. Quality review score: 7.7/10.

4 Limitations

This report is a machine-generated literature synthesis and does not constitute original research. Automated retrieval and verification may introduce errors or omissions. Review scores reflect automated assessment, not human peer review. Readers should consult primary sources for authoritative information.

5 Extracted Claims

Claim	Verified	Confidence
The model was tested on English (EN), Mandarin Chinese (ZH), Spanish (ES), Turkish (TR), and Yorub (YO).	✓	0.18
The number of examples for the 2025 PETs Datasets are: ZH (3211), EN (3098), ES (2952), TR (2436), YO (2598).	×	0.15
The performance of XLM-R and mBERT on different languages are: EN (XLM-R: 0.821, mBERT: 0.791), ES (XLM-R: 0.768, mBERT:	✓	0.18
The performance of XLM-R and mBERT on different language pairs are: EN & ES (XLM-R: 0.821, mBERT: 0.801), EN & ZH (XLM-R	✓	0.18
The performance of XLM-R and mBERT on sequential fine-tuning for different language pairs are: TR \rightarrow EN (XLM-R: 0.835), ES	✓	0.21

References

- <http://arxiv.org/abs/2508.11281v3>
- <http://arxiv.org/abs/2211.04576v1>
- <http://arxiv.org/abs/2508.11831v1>