

# CodeT5 Performance on Diagram-Augmented Coding Tasks vs. Text-Only HumanEval Baselines

Assignee Research

June 9, 2026

## Abstract

This report synthesises findings from 7 peer-reviewed papers addressing the following research question: How does the inclusion of complex diagrams in coding tasks affect the pass@k performance of CodeT5 compared to text-only HumanEval baselines. 15 claims were extracted from source literature; 0 were independently verified against retrieved documents. An automated multi-reviewer quality assessment produced a score of 3.3/10. This report is a machine-generated literature synthesis and does not constitute original research.

## 1 Introduction

This paper examines: HumanEval-V: Benchmarking High-Level Visual Reasoning with Complex Diagrams in Coding Tasks. Research question: How does the inclusion of complex diagrams in coding tasks affect the pass@k performance of CodeT5 compared to text-only HumanEval baselines?.

## 2 Methodology

Systematic literature search across multiple databases yielded 7 papers. Claims were extracted from source material and verified against retrieved documents. An independent multi-reviewer assessment produced a quality score of 3.3/10.

## 3 Results

7 papers retrieved. 15 claims extracted; 0 independently verified. Quality review score: 3.3/10.

## 4 Limitations

This report is a machine-generated literature synthesis and does not constitute original research. Automated retrieval and verification may introduce errors or omissions. Review scores reflect automated assessment, not human peer review. Readers should consult primary sources for authoritative information.

## 5 Extracted Claims

Claim	Verified	Confidence
HumanEval-V consists of 253 human-annotated coding tasks.	×	0.14
Each task in HumanEval-V features a diagram encoding the problem context, a function signature defining the task’s input	×	0.07
The top-performing model, Claude 3.5 Sonnet, achieves 36.8% pass@1 on HumanEval-V.	×	0.09
The best open-weight model, Pixtral 124B, reaches 21.3% pass@1 on HumanEval-V.	×	0.03
Claude 3.5 Sonnet achieves a 74.3% pass rate with 100 samples on HumanEval-V.	×	0.04
Claude 3.5 Sonnet can reach 55.3% pass@1 with four self-refining iterations based on test case execution feedback on Hum	×	0.04
HumanEval-V offers a more diverse and complex set of diagrams spanning six task types.	×	0.11
HumanEval-V demands versatile capabilities for diagram understanding and reasoning.	×	0.11
The visual context in HumanEval-V must be essential for solving the task, with all relevant information contained in a s	×	0.05
Tasks in HumanEval-V should be designed around the visual context with minimal textual description.	×	0.04
Test cases in HumanEval-V could rigorously verify whether the model captures all critical visual information.	×	0.05
HumanEval-V utilizes a two-stage evaluation pipeline that supports LMMs with limited coding abilities.	×	0.07
The two-stage evaluation pipeline in HumanEval-V first prompts LMMs to generate a structured diagram description summari	×	0.06
The two-stage evaluation pipeline in HumanEval-V then uses a more capable coder model to implement the solution.	×	0.02
Extensive experiments with 22 LMMs were conducted on HumanEval-V.	×	0.14

## References

- <http://arxiv.org/abs/2510.08325v2>
- <http://arxiv.org/abs/2410.12381v3>
- <http://arxiv.org/abs/2405.04520v1>