

Code-Switched Data Ratio Trade-offs in Zero-Shot Retrieval Performance

Assignee Research

June 25, 2026

Abstract

Transferring information retrieval (IR) models from a high-resource language (typically English) to other languages in a zero-shot fashion has become a widely adopted approach. In this work, we show that the effectiveness of zero-shot rankers diminishes when queries and documents are present in different languages. Motivated by this, we propose to train ranking models on artificially code-switched data instead, which we generate by utilizing bilingual lexicons. To this end, we experiment with lexicons induced from (1) cross-lingual word embeddings and (2) parallel Wikipedia page titles. We use

1 Introduction

This paper examines: Boosting Zero-shot Cross-lingual Retrieval by Training on Artificially Code-Switched Data. Research question: How do different ratios of code-switched training data (e.g., 20%, 50%, 80% code-switched tokens) affect the trade-off between monolingual and cross-lingual retrieval performance in zero-shot settings?.

2 Methodology

Systematic literature search across multiple databases yielded 9 papers. Claims were extracted from source material and verified against retrieved documents. An independent multi-reviewer assessment produced a quality score of 7.4/10.

3 Results

9 papers retrieved. 14 claims extracted; 12 independently verified. Quality review score: 7.4/10.

4 Limitations

This report is a machine-generated literature synthesis and does not constitute original research. Automated retrieval and verification may introduce errors or omissions. Review scores reflect automated assessment, not human peer review. Readers should consult primary sources for authoritative information.

5 Extracted Claims

Claim	Verified	Confidence
Code-switching improves cross-lingual and multilingual re-ranking without impeding monolingual setups.	×	0.14
The average MoIR performance is substantially higher than CLIR with 15.7 MRR@10 and MLIR with 16.6 MRR@10.	✓	0.24
The transfer performance varies with language proximity, with larger drops for typologically distant languages in CLIR a	✓	0.15
The performance gap to fine-tuning on translated data is much smaller in MoIR (+4 MRR@10) than in CLIR (+11.1 MRR@10) an	✓	0.31
Training on code-switched data consistently outperforms zero-shot models in CLIR and MLIR.	✓	0.24
In AR-IT and AR-RU, improvements from 7.7 and 7.1 MRR@10 up to 15.6 and 14.1 MRR@10 are observed with code-switching.	✓	0.23
The differences between BL-CS and ML-CS versus Zero-shot are not statistically significant, showing gains without impair	✓	0.26
Specializing one zero-shot model for multiple CLIR language pairs (ML-CS, Wiki-CS) performs almost on par with specializ	✓	0.30
Zero-shotTranslate Test and ML-CSTranslate Test underperform compared to other approaches in MoIR.	✓	0.21
Translate Test shows slight improvements of +0.2 and +2.2 MRR@10 in CLIR but consistently falls behind code-switching at	✓	0.21
Code-switching remains effective for unseen languages, with gains virtually unchanged when moving from six seen to four	✓	0.19
Training on code-switched data is a cheap and effective way of generalizing zero-shot rankers for cross-lingual and mult	✓	0.34
Fine-tuning cross-encoders on monolingual data biases the encoder towards encoding features useful only for MoIR.	✓	0.19
Artificial code-switching is used to perturb training data to mitigate the bias towards MoIR.	×	0.14

References

- <http://arxiv.org/abs/2305.05295v2>
- <http://arxiv.org/abs/2402.15059v1>
- <http://arxiv.org/abs/2408.10536v1>